



Safety Data Sheet

According to EU Directive 1907/2006

Product name: GLASSBEND

Date of issue: 31-05-2018

Version: 1.2

1. Identification of the substance/preparation and of the company

- 1.1 Trade name:**
GLASSBEND
- 1.2 Use of the product:**
3Dprinter Filament
- 1.3 Supplier:**
3D Platform
6402 E. Rockton Road
Roscoe, Illinois 61073 United States
Phone: +1.779.771.0000
www.3dplatform.com
marketing@3dplatform.com

2. Hazards identification

- 2.1 Classification of the substance or mixture**
According to Regulation (EC) No 1272/2008 [CLP]
This mixture is classified as not hazardous.
- 2.2 Label elements**
Labelling (CLP)
Hazard statements: not applicable
Safety precautions: not applicable
- 2.3 Other hazards**
Dust: Can cause skin, eye and respiratory tract irritation.
In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.
The melted product can cause severe burns.
Special danger of slipping by leaking/spilling product.
Results of PBT and vPvB assessment:
This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

3. Composition/information on ingredients

- 3.2. Mixtures**
Chemical characterization: Polymer mixture, enhanced for 3D printing
CAS No. 9003-55-8: Styrene-butadiene copolymer
Contains Phosphite

Additional information: The substances are encapsulated in a polymer and are therefore not bioavailable.



Safety Data Sheet

According to EU Directive 1907/2006

Product name: GLASSBEND

Date of issue: 31-05-2018

Version: 1.2

4. First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any contaminated clothing, shoes or stockings.

After inhalation:

Provide fresh air. Put victim at rest and keep warm. Seek medical attention

In case of skin contact:

The melted product can cause severe burns.

Do not attempt to remove molten product, or molten product that has cooled, from skin without medical assistance.

After contact with molten product, cool skin area rapidly with cold water. Consult physician.

After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Consult an eye specialist in the event of irritation.

After swallowing:

Rinse mouth with water. Drink one or two glasses of water.

Never give an unconscious person anything through the mouth. seek medical attention. Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Dust: Skin irritation, eye irritations and redness

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray, Dry powder, Carbon dioxide (CO₂).

Unsuitable extinguishing media :

Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.

In case of fire may be liberated: Smoke, hydrocarbons, styrene-monomer, butadiene, aldehydes and acids (organic), carbon monoxide and carbon dioxide (CO₂).

5.3 Advice for fire fighters

Fire fighting measures

Wear a self-contained breathing apparatus and chemical protective clothing.

Unusual Fire Hazards:

Do not allow fire water to penetrate into surface or ground water. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.



Safety Data Sheet

According to EU Directive 1907/2006

Product name: GLASSBEND

Date of issue: 31-05-2018

Version: 1.2

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

May form explosible dust-air mixture if dispersed. Remove all sources of ignition.
Provide adequate ventilation. Do not breathe dust. Wear appropriate protective equipment.
Take off contaminated clothing and wash it before reuse.
Keep unprotected people away.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and materials for containment and cleaning up

Avoid generation of dust. Take up mechanically. Can be reused without regeneration.
Additional information: Take precautionary measures against static discharges.
Special danger of slipping by leaking/spilling product.

7. Handling and storage

7.1 Handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Do not breathe dust. Avoid dust formation.

In the case of the formation of dust: Withdraw by suction.

Molten material: Avoid contact with the substance.

Precautions against fire and explosion:

In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.
Take precautionary measures against static discharges. Keep away from sources of ignition. Use grounding equipment. Use explosion-proof equipment and non-sparking tools/utensils.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store in a well-ventilated place. Keep container tightly closed.

Protect against heat /sun rays. Protect from moisture contamination.



Safety Data Sheet

According to EU Directive 1907/2006

Product name: GLASSBEND

Date of issue: 31-05-2018

Version: 1.2

8. Exposure controls/personal protection

8.1 Control parameters

CAS no.	Designation	Type	Limitvalue
	Dust	Great Britain: WEL-TWA	10 mg/m ³ Dust limit value inhalable fraction
		Great Britain: WEL-TWA Ireland: 8 hours Ireland: 8 hours	4 mg/m ³ Dust limit value respirable fraction 10 mg/m ³ Dust limit value inhalable fraction 4 mg/m ³ Dust limit value respirable fraction
100-42-5	Styrene	Great Britain: WEL-STEL Great Britain: WEL-TWA Ireland: 15 minutes Ireland: 8 hours	1.080mg/m ³ ; 250 ppm 430 mg/m ³ ; 100 ppm 170 mg/m ³ ; 40 ppm 85 mg/m ³ ; 20 ppm
107-13-1	Acrylonitrile	Great Britain: WEL-TWA Ireland: 8 hours	4,4 mg/m ³ ; 2 ppm 4,5 mg/m ³ ; 2 ppm (May be absorbed through the skin.)
106-99-0	1,3-Butadiene	Great Britain: WEL-TWA Ireland: 8 hours	22 mg/m ³ ; 10 ppm Carc) 2,2 mg/m ³ ; 1 ppm C1, Mut2

Additional information:

The product contains very low levels of residual monomers and process chemicals (styrene, ethylbenzene and traces of butadiene) that may be evolved during thermal processing, along with possible decomposition products. As the identity and levels of these impurities evolved will depend upon the processing conditions (temperature etc.) it is the responsibility of the user to determine the adequacy of any protection or safety measures.

8.2 Exposure controls

Provide good ventilation in the work area. Additional controls are not normally necessary when handling the polymer.

Thermal extrusion: Provide local exhaust ventilation to ensure that the workplace exposure limit is not exceeded.

Use of respiratory protection may be necessary during maintenance activities.

Personal protection equipment

Occupational exposure controls

Respiratory protection:

In case of dust formation:

Use filter type A-P2 according to EN 14387.

Hand protection:

Protective gloves according to EN 374.

Protective gloves made of fabric or leather.



Safety Data Sheet

According to EU Directive 1907/2006

Product name: GLASSBEND

Date of issue: 31-05-2018

Version: 1.2

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
In case of melting: Impervious heat protective gloves according to EN 407
Glove material: Leather
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection: Tightly sealed goggles according to EN 166.
Body protection: Wear suitable protective clothing. Boots or safety shoes
General protection and hygiene measures:
Do not breathe dust.
Take off contaminated clothing and wash it before reuse.
When using do not eat, drink or smoke. Wash hands before breaks and after work.
When handling large quantities, supply emergency spray.
In case of dust formation: Particular danger of slipping on spilled product on the ground.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Solid Filament
Odour	weak
Colour	depending on product grade
Odour threshold	No information available
pH	Not applicable
Melting/freezing point	> 100 °C
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	No information available
Upper/lower flammability or explosive limits	UEL: No data available LEL: No data available
Vapour pressure	Not applicable
Vapour density	Not applicable
Relative density	at 20 °C: approx. 0.99-1.02 g/cm ³ (DIN 53479)
Solubility(ies)	Negligible
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	not self-igniting
Decomposition temperature	No information available
Viscosity	Not applicable
Explosive properties	Dust explosion risk at fine dust
Oxidizing properties	No data available

10. Stability

Safety Data Sheet

According to EU Directive 1907/2006

Product name: GLASSBEND

Date of issue: 31-05-2018

Version: 1.2

10.1 Reactivity: No information available

10.2 Chemical stability:
Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions:
In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.

10.4 Conditions to avoid:
Avoid elevated temperatures for prolonged periods of time. Take precautionary measures against static discharges.

10.5 Incompatible materials:
Strong oxidisers

10.6 Hazardous decomposition products
When greatly overheated, material may release hazardous decomposition products:
Hydrogen cyanide, monomers, hydrocarbons, gases/vapours, cyclic low molecular weight oligomers, carbon monoxide and carbon dioxide.

11. Toxicological information

11.1 Information on toxicological effects

Toxicological effects:

Acute toxicity (oral):	Based on available data, the classification criteria are not met
Acute toxicity (dermal):	Based on available data, the classification criteria are not met.
Acute toxicity (inhalative):	Based on available data, the classification criteria are not met.
Skin corrosion/irritation:	Lack of data.
Eye damage/irritation:	Lack of data. May cause irritations.
Sensitisation to the respiratory tract:	Based on available data, the classification criteria are not met
Skin sensitisation:	Based on available data, the classification criteria are not met
Dust:	Can cause skin, eye and respiratory tract irritation.
Processing, thermal hazards:	Vapours: Can cause skin, eye and respiratory tract irritation.

Germ cell mutagenicity/Genotoxicity:

	Lack of data. Not to be expected
Carcinogenicity:	Lack of data. Not to be expected
Reproductive toxicity:	Lack of data. Not to be expected
Effects on or via lactation:	Lack of data.
Specific target organ toxicity (single exposure):	Lack of data.
Dusts:	Irritating to eyes, respiratory system and skin.
Specific target organ toxicity (repeated exposure):	Lack of data.
Aspiration hazard:	Lack of data.



Safety Data Sheet

According to EU Directive 1907/2006

Product name: GLASSBEND

Date of issue: 31-05-2018

Version: 1.2

Symptoms

Dust: Skin irritation, eye irritations and redness
The melted product can cause severe burns.

12. Ecological information

12.1 Toxicity

Aquatic toxicity: no evidence of aquatic toxicity

12.2. Persistence and degradability

Further details: Biodegradation: Product is not readily biodegradable.
Degradation at UV-radiation/sunlight
Environmental half-life period: ≥ 100 days (estimated)

12.3 Bioaccumulative potential

To avoid bioaccumulation plastics should not be disposed in the sea or in other water environments.

Partition coefficient n-octanol/water:
No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects

General information:
Do not allow to enter into ground-water, surface water or drains.

13. Disposal considerations

13.1 Waste treatment methods

Product

Waste key number:

07 02 99 = wastes from the MFSU of plastics, synthetic rubber and manmade fibres
MFSU = manufacture, formulation, supply and use

Recommendation: Recycling or special waste incineration.
After appropriate treatment the product can be remelted and reprocessed into new moulded articles. Mechanical recycling is only possible if the material has been selectively retrieved and carefully segregated according to type.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation.
Non-contaminated packages may be recycled.

14. Transport information



Safety Data Sheet

According to EU Directive 1907/2006

Product name: GLASSBEND

Date of issue: 31-05-2018

Version: 1.2

Product has been classified as being non-dangerous substance according to transport regulations ADR, RID, IMDG, IATA/DGR

- 14.1 UN number**
Not applicable
- 14.2 UN proper shipping name**
Not applicable
- 14.3 Transport hazard class(es)**
Not applicable
- 14.4 Packing Group**
Not applicable
- 14.5 Environmental hazards**
No additional data is available
- 14.6 Special precautions for user**
No data available
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**
Not evaluated

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code: -
No data available

National regulations - EC member states

Volatile organic compounds (VOC):
0.2 % by weight

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment is not required

16. Other information

Information is referenced from other manufacturers.

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 and Regulation (EC) No. 2015/830. Label element according to Regulation (EC) No 1272/2008.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.